



DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection
103 South Main Street, Ladd Hall
Waterbury VT 05671-2306
<http://www.dail.vermont.gov>
Voice/TTY (802) 871-3317
To Report Adult Abuse: (800) 564-1612
Fax (802) 871-3318

May 6, 2014

Mr. William Spalding, Administrator
Pillsbury Manor - South
20 Harbor View Road
South Burlington, VT 05403

Dear Mr. Spalding:

Thank you for the cooperation you gave our surveyor during the **April 29, 2014** annual survey of your facility.

Enclosed is the Residential Care Home Survey Statement indicating that your facility is in substantial compliance with the current regulatory requirements. Congratulations to you and your staff.

If you have any questions regarding this report, please feel free to contact this office at (802) 871-3317.

Sincerely,

A handwritten signature in cursive script that reads "Frances L. Keeler".

Frances L. Keeler, RN, MSN, DBA
Assistant Division Director
State Survey Agency Director

FK:jl

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0149	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 04/29/2014
NAME OF PROVIDER OR SUPPLIER PILLSBURY MANOR - SOUTH		STREET ADDRESS, CITY, STATE, ZIP CODE 20 HARBOR VIEW ROAD SOUTH BURLINGTON, VT 05403		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	Initial Comments: The Division of Licensing and Protection conducted an unannounced onsite recertification survey on 4/29/14. There were no regulatory violations as a result.	R100		

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE